

SV9



SPRAYER SV9

C2M
CONCEPT 

UNIFORM APPLICATION AND LARGE SURFACE COVERAGE

The device has been designed to have a **better application**, especially of abrasive products such as clay. Its larger and more powerful turbines allow application to **large trees and a large surface coverage in a single pass**.

The mixing of the product in the tank has been increased thanks to two crossed hydraulic mixers at the bottom of the tank to leave **no product deposits**.




Several tanks available: 3000 L / 4000 L / 5000 L
3000L and 4000L plastic tanks. 5000L tank in fibreglass.



Double inverted turbines diameter 900mm with hydraulic swivel arch, mounted on a ball bearing ring to reduce vibrations and increase reliability.



Tyres 500/50 R17 or 560/45 R22.5.



Brass pump: the most resistant material for the application of abrasive products such as clay.




Nozzles with two flow rates to adapt the volume of spray to your treatment.

ADAPTS TO YOUR ORCHARDS AND YOUR NEEDS

Our sprayer guarantees you a **homogeneous result on the different heights of walnut trees (Lara, Franquette...).**

We can adapt this machine or add options according to your needs, such as a higher pump output, lights designed for night use and more.



3000L: length 5.3m/width 2.3m /height 1.7m
4000L: length 5.8m/width 2.3m/height 1.95m
5000L: length 6.7m/width 2.3m/height 1.95m



3000L : 1.6 tonne
4000L : 1.7 tonne
5000L : 2.1 tonne

TECHNICAL CHARACTERISTICS

3000L / 4000L / 5000L

BRASS PUMP FLOW RATE	200 liters/min
PTO SPEED	540 rounds
PTO SHAFT	Wide angle PTO shaft
NB SECTIONS	2 original
TURBINES ORIENTATION	By hydrauliques cylinders
PRESSURE GAUGE	Electronic vision cab
PNEUMATIC	500/50 R17 (3000l) or 560/45 R22,5 (4000l/5000l)

OPTIONS

Pump capacity of 250 litters/min

4 sections (2 additional)

Special spraying lights for optimal night use

DPAE: the flow rate automatically adapts to the working speed

Tree presence sensor (only with DPAE)

Others tyre mountings possible



LIGHTS, CAMERA, ACTION



CONTACT



04 56 33 74 54



contact@c2m-concept.com



597 Chemin de Montessut
38470 BEAULIEU



SAS C2M



@sas.c2m



SAS C2M

